



"WWSC" WHEEL WEIGHING PLATFORMS



WWSC platform.



WWSC: dimensions in mm.



Platforms designed for creating weighing stations for large vehicles (vans, trucks, tankers, tractor-trailers, etc.); particularly accurate and sturdy, with attention to details.

FEATURES

- Platform dimensions: 500x511mm. Height 58mm. Weight approximately 19,5kg.
- Loading surface: 500x400mm.
- Very handy. Sturdy structure, made in special aluminum, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10 m cable for connecting platform to indicator, complete of connector.
- IP68 stainless steel load cells.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- The WWS platforms are patented; the number is 1.342.302.
- Available also in CE-M APPROVED version.

OPTIONS AND ACCESSORIES

- High resolution model for internal factory use.
- IP68 protection for one platform.
- Frame for flush floor installation.

NOTES ON THE CE-M APPROVED VERSIONS

- The platforms are for legal for trade use:
 - In the **single-platform systems**, not used to weigh vehicles.
 - In the **wheel weighing systems** (with Dini Argeo indicator) in which the number of platforms is equal to the number of vehicle wheels. The weight of the single platform as well as the vehicle total weight are legal for trade use, since these are obtained with a single weigh.
- **NOTE:** In the axle weighing systems with 2 WWS platforms, the weight is for internal use only.

Available Versions

Code	Surface (LxP) mm	Max Capacity kg	Division kg	CE-M Division kg	HR Division kg
WWSC1.5T	500x400	1500	0,5	--	0,05
WWSC3T	500x400	3000	1	--	0,1
WWSC6T	500x400	6000	2	--	0,2
WWSC10T	500x400	10000	5	--	0,5
WWSC15T	500x400	15000	5	--	0,5
WWSC1.5TM M	500x400	1500	--	0,5	--
WWSC3TM M	500x400	3000	--	1	--
WWSC6TM M	500x400	6000	--	2	--
WWSC10TM M	500x400	10000	--	5	--
WWSC12.5TM M	500x400	12500	--	5	--

NOTES:

- The CE-M division is referred to the weight of the single platform.
- The CE-M division in which the sum weight is indicated in the wheels weighing systems (4 platforms) is equal to the sum of the single platforms' divisions, rounded. Example: with 4 approved platforms with division 200g, the approved sum weight will be indicated with division 1kg.

Main connectable indicators

Code	Description
DFWKRP	Weight indicator in Rack version with specific programme for vehicle weighing, with transport case, 17-key keypad, backlit display, time/date and attached thermal printer.
3590EKR03P	Weight indicator in the "AF03" version for vehicle weighing systems, with printer, transport case, 25-key keypad, LED display and backlit graphic LCD display.
3590EKR08P	Weight indicator in the "AF08" version for wheel weighing systems or axle weighing systems, with printer, transport case, 25-key keypad, LED display and backlit graphic LCD display.




Options only available at time of order

Code	Description
EHR	High resolution model for internal factory use.
WWSIP68	IP68 protection for WWS platform, with IP68 connector and "anti-rat" PUR cable.

Accessories

Code	Description
CBWWS	Connection cable between WWS platform and weight indicator in transport case (as a spare part). ATTENTION: not compatible with IP68 platform option.
WWSCTF	Frame for flush floor installation for WWSC series platform.

Main available configurations

Available indicators	DFWKR	3590EKR03	3590EKR08
			
Specifications	>> Technical data sheet	>> Technical data sheet	>> Technical data sheet
Functions	<ul style="list-style-type: none"> - Wheels weighing - Axles weighing - In/Out (without memory) - Calculating the barycentre 	<ul style="list-style-type: none"> - Vehicles weighing - In/Out (with memory) 	<ul style="list-style-type: none"> - Wheels weighing - Axles weighing - Calculating the barycentre
Max. reading channels	4	2	4
Max. Platforms	4 (up to 8, 2 per channels)	8 (equalized)	4 (up to 8, 2 per channels)
Visualization	<ul style="list-style-type: none"> - Single channel - Combination of channels - Total weight 	<ul style="list-style-type: none"> - Total weight 	<ul style="list-style-type: none"> - Single channels - Single axles - Total weight - Barycentre
Printout	<ul style="list-style-type: none"> - Headers - Single channels - Combination of channels - Total weight - Difference In/Out - Barycentre 	Completely programmable	Completely programmable
Databases	-	<ul style="list-style-type: none"> - Customers - Vehicles - Materials 	- Data
Approval	<ul style="list-style-type: none"> - Weight of the single platform - Total weight (only in the wheels weighing) 	<ul style="list-style-type: none"> - Total weight 	<ul style="list-style-type: none"> - Weight of the single platform - Total weight (only in the wheels weighing)

AXLE WEIGHING SYSTEM INSTALLATION:

